




*Description:* The MDI is a 30-item self-report test of dissociative symptomatology. It is fully standardized and normed, and measures six different type of dissociative response. Higher scores indicate a greater frequency of a given dissociative experience over the past month.




*Description:* The DASS is a 42-item self-administered questionnaire designed to measure the magnitude of three negative emotional states: depression, anxiety, and stress. Higher scores indicate greater severity of emotional state.




*Description:* The PTSD Checklist for DSM-5 (PCL-5) is a 20-item self-report measure that assesses the presence and severity of PTSD symptoms. Items on the PCL-5 correspond with DSM-5 criteria for PTSD.



*Description:* The TAS is a 20-item instrument that measures deficiencies in understanding, processing, or describing emotions. Total scores higher than 61 = high alexithymia (“alexithymia”), scores between 51 and 61 = possible alexithymia, scores less than 51 = low alexithymia (“non-alexithymia”).




*Description:* The MDI is a 30-item self-report test of dissociative symptomatology. It is fully standardized and normed, and measures six different type of dissociative response. Higher scores indicate a greater frequency of a given dissociative experience over the past month.






*Description:* The DASS is a 42-item self-administered questionnaire designed to measure the magnitude of three negative emotional states: depression, anxiety, and stress. Higher scores indicate greater severity of emotional state.



*Description:* The PTSD Checklist for DSM-5 (PCL-5) is a 20-item self-report measure that assesses the presence and severity of PTSD symptoms. Items on the PCL-5 correspond with DSM-5 criteria for PTSD



*Description:* The TAS is a 20-item instrument that measures deficiencies in understanding, processing, or describing emotions. Total scores higher than 61 = high alexithymia (“alexithymia”), scores between 51 and 61 = possible alexithymia, scores less than 51 = low alexithymia (“non-alexithymia”).

